

# Beat the Heat Hair Smoothing Cream

Personal Care

from Scott Bader

## Formulation reference: FM00056/B

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
A	Deionised Water	Aqua	Solvent	Up to 100%	
	Edeta BX Powder	Tetrasodium EDTA	Chelating Agent	0.05	BASF
	Sodium Benzoate Granular	Sodium Benzoate	Preservative	0.25	OQEMA
B	Belsil ADM 6057 E	Aqua (and) Amodimethicone	Conditioning Agent	2.00	Wacker
	Q-SILC-DM2	Dimethicone	Softness/ Silky Feel	2.00	OQEMA
	Q-SILC-DG13	Dimethicone (and) Dimethiconol	Softness/ Silky Feel/ Smoothing	2.00	OQEMA
	Neossance Hemisqualane	C13-15 Alkane	Emollient/ Anti-Frizz	4.00	Apprinova
	Naissance 233 Jojoba Golden	Simmondsia Chinensis (Jojoba) Seed Oil	Emollient/ Softening/ Shine	0.50	Naissance
	Naissance 228 Argan Oil	Argania Spinosa Kernel Oil	Emollient/ Softening/ Shine	0.50	Naissance
	Phenoxyethanol RCH	Phenoxyethanol	Preservative	0.60	Ashland
		<b>Texiterra Marula Oil</b>	<b>Sclerocarya Birrea Seed Oil</b>	<b>Emollient/ Softening/ Shine</b>	<b>0.50</b>

Smooth and control unruly hair with this light spreading balm cream, whilst softening and adding shine. Formulated with Mirustyle XH-P for advanced heat protection, **Texiterra Marula Oil** for a silky-soft feel, and **Texiterra Raspberry Seed Oil** to boost shine. **Texique HE20**, as the sole emulsifier and rheology modifier, will help stabilise the formulation and provide a styling benefit to hair.



# Beat the Heat Hair Smoothing Cream

Personal Care

from Scott Bader

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
	Texterra Raspberry Seed Oil	Rubus Idaeus Seed Oil	Emollient/ Softening/ Shine	0.50	Scott Bader
C	Texique HE20	AMPS/HEMA Crosspolymer, C13-15 Alkane, Coco-Glucoside	Emulsifier/ Thickener/ Stabiliser/ Rheology Modifier	5.00	Scott Bader
D	MiruStyle X-HP	Aqua (and) Sodium Laneth- 40 Maleate/Styrene Sulfonate Copolymer	Heat Protection/ Styling Agent	5.50	Croda
	CPL Aromas – AR757665	Parfum	Fragrance	QS	CPL Aromas
E	Citric Acid Monohydrate	Citric Acid	pH Adjuster	QS	Univar

## Method

1. Weigh out phase A individually and mix until completely dissolved.
2. Add phase B materials individually with mixing. This phase will not be uniform.
3. Add phase C and mix to disperse. Homogenise gently to form smooth emulsion.
4. Add phase D and mix until uniform.
5. Adjust pH to 5.50 – 6.50 with phase E.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.