

Creamy Body Wash



Formulation reference: FM00209/A

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
Α	Deionised Water	Aqua	Solvent	Up to 100%	
	Edeta BX Powder	Tetrasodium EDTA	Chelating Agent	0.10	BASF
	Sodium Benzoate Granular	Sodium Benzoate	Preservative	0.25	OQEMA
	Q-SORB PC BP-4	Benzophenone-4	UV Filter	0.01	OQEMA
В	Texique CS-P	Starch Hydroxypropyltrimonium Chloride	Conditioner	0.30	Scott Bader
С	Miracare SLB 365 W	Aqua (and) Sodium Trideceth Sulfate (and) Cocamide MEA (and) Sodium Lauroamphoacetate (and) Sodium Chloride	Surfactant	30.00	Solvay
D	Texiterra Rapeseed Oil	Brassica Campestris (Rapeseed) Seed Oil	Natural Oil	7.00	Scott Bader
	Jaguar S	Cyamopsis Tetragonoloba (Guar) Gum	Natural Gum Thickener	0.55	Solvay
		Parfum	Fragrance	1.00	
Е	Deionised Water	Aqua	Solvent	14.00	
	Sodium Chloride	Sodium Chloride	Viscosity Adjuster	3.50	

Indulge your skin with this creamy-soft body wash containing *Texique CS-P* for its conditioning properties. With its rich lather, formulated to cleanse and moisturise, this body wash also contains skin softening Texiterra Rapeseed Oil to help prevent dryness.













Creamy Body Wash



Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
F	Phenoxyethanol RCH	Phenoxyethanol	Preservative	0.40	Ashland
	Iscaguard BA	Benzyl Alcohol	Preservative	0.60	Brenntag
G	Deionised Water	Aqua	Solvent	4.00	
	Citric Acid Monohydrate	Citric Acid	pH Adjuster	0.80	

Method

- 1. Weigh out phase A and mix until all powders are dissolved.
- 2. Add phase B and mix gently until homogeneous.
- 3. Weigh out phase C and mix well to uniformly disperse powders. Add phase C pre-mix to stage 2 and mix at adequate speed until uniform.
- 4. Pre-mix phase D until uniform. Add to main batch and mix until uniform.
- 5. Add phase E to main batch and mix until uniform.
- 6. Pre-mix phase F until clear solution. Add to main batch and mix for 1 hour to allow final viscosity to form.
- 7. Adjust pH to 4.50 5.50 using Citric acid solution.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.





