

Feel the Sun Moisturising Body Cream

Formulation reference: FM00287/B

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
A	Deionised Water	Aqua	Solvent	Up to 100%	
	Citric Acid Monohydrate	Citric Acid	pH Adjuster	0.50	Univar
	Sodium Citrate	Sodium Citrate	pH Adjuster/ Buffer	0.50	Special Ingredients
	Naissance Vegetable Glycerine No 806	Glycerin	Humectant/ Moisturising	3.00	Naissance
B	Lanette O	Cetearyl Alcohol	Wax	3.00	BASF
	Tego Care 450	Polyglyceryl-3 Methylglucose Distearate	Emulsifier	2.50	Evonik
	Cetiol Ultimate	Undecane (and) Tridecane	Emollient	3.00	BASF
	Myritol 318	Caprylic/Capric Triglyceride	Emollient	5.00	BASF
	Texique Lux5	C13-15 Alkane (and) Caprylic/Capric Triglyceride	Natural Emollient	5.00	Scott Bader
	Texterra Marula Oil	Scierocarya Birrea Seed Oil	Emollient/ Softening/ Shine/ Nourishing	1.00	Scott Bader
	Cocoa Butter	Theobroma Cacao (Cocoa) Seed Butter	Butter/ Skin Softening/ Moisturising	2.00	The Soapery

Achieve a natural looking sun-kissed glow with this light, easily spreadable self-tan body cream. Formulated with light emollients including natural **Texique Lux5**, combined with nourishing **Texterra Marula Oil**. With **Texique HE20** to emulsify, thicken and stabilise.



Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
C	Amphisol K	Potassium Cetyl Phosphate	Thickener/ Stabiliser	0.50	DSM
D	Texique HE20	AMPS/HEMA Crosspolymer (And) C13 - 15 Alkane (And) Coco Glucoside	Emulsifier/ Thickener/ Stabiliser/ Rheology Modifier	5.00	Scott Bader
E	Deionised Water	Aqua	Solvent	15.00	
	110150 Dihydroxyacetone Extra Pure	Dihydroxyacetone	Self-Tan Active	5.00	Merck
F	Denatured Ethanol	Alcohol Denatured	Solvent	3.00	
G	Plantaserve E	Phenoxyethanol (and) Ethylhexylglycerin	Preservative	1.00	Mystic Moments
		Parfum	Fragrance	QS	

Method

1. Weigh out phase A and mix until dissolved. Start heating to 80-85°C.
2. Weigh out phase B and heat to 80-85°C.
3. Add phase C to phase B and stir to disperse. Note: it will not dissolve in phase B.
4. At temperature, add phase B into phase A whilst homogenising. Homogenise until uniform.
5. Cool to below 65°C with slow mixing.
6. Add phase D and stir to disperse. Homogenise until smooth and uniform. Cool to below 40°C with slow mixing.
7. Pre-mix phase E until fully dissolved. Add phase F to pre-mix and mix until smooth and uniform. Add to the main batch at below 30°C.
8. Add phase G whilst mixing and mix until smooth and uniform.
9. If necessary, adjust pH to circa 4.00 – 5.00.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.