

Silky Skin Facial Drops

Formulation reference: FM00342/A

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
A	Deionised Water	Aqua	Solvent	Up to 100%	
	Dissolvine NA2	Disodium EDTA	Chelating Agent	0.05	Brenntag
	Citric Acid	Citric Acid	pH Adjuster	0.02	The Soapery
B	Betaine Powder	Betaine	Active-Moisturising	0.50	Naturally Balmy
C	Vegetable Glycerine	Glycerin	Humectant	3.00	Special Ingredients
	Mono-propylene Glycol USP	Propylene Glycol	Humectant	1.50	OQEMA
	Plantaserve E	Phenoxyethanol (and) Ethylhexylglycerin	Preservative	1.00	Mystic Moments
	Texiterra BF Soya	Bacillus/ Saccharomyces/ Soybean Seed Ferment Filtrate (and) Glycerin (and) Lactobacillus/ Radish Root Ferment Extract Filtrate	Bioferment Active/ Antioxidant	2.00	Scott Bader
	Texique Lux5	C13-15 Alkane (and) Caprylic/Capric Triglyceride	Natural Emollient	5.00	Scott Bader

These hydrating facial drops will become your new go-to skincare product thanks to their minimalistic ingredient list, packed with humectants and **Texiterra BF Soya**, a nourishing and rejuvenating skin active for an even skin tone. A natural silicone alternative, **Texique Lux5**, improves spreadability and adds silky, non-tacky after-feel. **Texique HE10** acts as an emulsifier and aids in viscosity control to achieve a light, serum-like consistency.



Silky Skin Facial Drops

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
D	Texique HE10	Sodium Acrylate/ Sodium Acryloyldimethyltaurate Copolymer, C13-15 Alkane, Coco-Glucoside	Emulsifier/ Thickener/ Rheology Modifier	2.00	Scott Bader
E	Tego SML 20 MB	Polysorbate 20	Stabiliser/ Solubiliser	1.00	Evonik
		Parfum	Fragrance	QS	

Method

1. Weigh out deionised water then add the rest of phase A and mix until completely dissolved.
2. Add phase B into the main bulk and mix until dissolved.
3. Add phase C with mixing between additions. The bulk will not be homogenous.
4. While homogenising, add phase D into the bulk and homogenise until smooth and uniform.
5. Pre-mix phase E together until clear and add to the main bulk. Mix until uniform.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.