

Colour Lock Gloss Hair Oil

Formulation reference: FM00410/B

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
A	Dermofeel Sensolv MB	Isoamyl Laurate	Emollient	28.00	Evonik
	Cetiol Ultimate	Undecane (and) Tridecane	Emollient	28.62	BASF
	Texiterra Kalahari Melon Seed Oil	Citrullus Lanatus (Watermelon Seed) Oil	Oil	5.00	Scott Bader
	Texique Lux5	C13-15 Alkane (and) Caprylic/Capric Triglyceride	Natural Emollient	30.00	Scott Bader
	Texique OleoThix	Sorbitol/ Sebacic Acid Copolymer Behenate	Natural Oil Thickener	4.50	Scott Bader
B	VIDA-CARE AVP-20	VP/Hexadecene Copolymer (and) VP/Eicosene Copolymer (and) Triacontanyl PVP	Film Former	1.20	Alfa Chemicals
	Phytantriol	Phytantriol	Active	0.10	DSM
C	Plantaserve E	Phenoxyethanol (and) Ethylhexylglycerin	Preservative	0.80	Mystic Moments
	Vitamin E (Tocopherol 70%)	Tocopherol (and) Helianthus annuus Seed Oil	Antioxidant	0.80	The Soap Kitchen
		Parfum	Fragrance	0.40	
D	Titan Violet Sparkle Mica	CI 77019, CI 77891, CI 77861, CI 77491, CI 77742	Pearl	0.08	Mystic Moments
	Timiron Gleamer Flake MP-45	CI 77891	Pearl	0.50	Merck

Lock in colour and enhance shine with a fast-absorbing thickened hair oil, featuring lightweight and fast-spreading **Texique Lux5**, nourishing **Kalahari Melon Seed Oil**, and **Texique OleoThix** for a smooth, easy-to-apply pumpable texture.



Method

1. Weigh out phase A and heat to 70-75°C.
2. Once fully melted, add phase B at temperature, and mix until fully dissolved.
3. Gently mix to cool to 55-60°.
4. At temperature, add phase C individually and mix between additions until fully incorporated.
5. Gently mix to cool to 40-45°C. Then Add phase D and mix until fully dispersed,
6. Mix occasionally and gently to keep phase D dispersed.
7. Once product starts to develop structures, do not mix until fully set.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.