

Tattoo Aftercare Balm

Formulation reference: FM00438/D

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
A	High Oleic Sunflower Oil	Helianthus Annuus (Sunflower) Seed Oil	Oil	59.40	Surfachem
	Golden Jojoba Oil No 233	Simmondsia Chinensis (Jojoba) Seed Oil	Oil	15.00	Naissance
	Squalane	Squalane	Oil	10.00	Bayhouse Ingredients
B	Texique OleoThix	Sorbitol/Sebacic Acid Copolymer Behenate	Natural Oil Thickener/ Rheology Modifier	4.00	Scott Bader
C	Shea Butter Refined	Butyrospermum Parkii Butter	Butter	10.00	Mystic Moments
	Sphingoceryl VEG LS 9948	Octyldodecanol (and) Hydrogenated Coco-Glycerides (and) Helianthus Annuus (Sunflower) Seed Extract	Active	0.20	BASF
D	Plantaserve E	Phenoxyethanol (and) Ethylhexylglycerin	Preservative	0.80	Mystic Moments
E	Bisabolol	Bisabolol	Active	0.10	Aromatic
	Vitamin E (Tocopheryl Acetate)	Tocopheryl Acetate	Antioxidant	0.30	OQEMA
	Vitamin E Natural	Tocopherol (and) Helianthus annuus Seed Oil	Antioxidant	0.20	Naturally Balmy

A nourishing tattoo aftercare balm that hydrates, soothes, and protects freshly tattooed skin. **Texique OleoThix** acts as the sole oil thickener and gives the balm a nice, non-greasy, easy-gliding consistency for smooth and easy application.



Method

1. Combine phase A and heat to 75-80°C.
2. At temperature, add phase B and mix until melted.
3. Add phase C and mix until fully melted.
4. Cool to circa 60°C with gentle mixing, then add phase D.
5. Cool with gentle mixing to 50-55°C, and add phase E.
6. Pour into containers while liquid and mix occasionally until mixture starts to thicken. Then let cool without mixing.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.