

Rosy Tint Balm

Formulation reference: FM00442/A

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
A	D&C Red 27 Dye	CI 45410	pH sensitive Pigment	0.10	Fast Colours
	Castor Oil No 217	Ricinus Communis Seed (Castor) Oil	Oil	10.00	Naissance
B	Black Iron Oxide	CI 77499	Pigment	0.03	Mystic Moments
C	Silica Microfine	Hydrated Silica	Sensory Enhancer	0.80	Aromatic
D	Microcrystalline Wax	Cera Microcristallina	Wax	4.00	The Soap Kitchen
	Refined Candelilla Wax	Euphorbia Cerifera Cera	Wax	2.20	Poth Hille
	Texique OleoThix	Sorbitol/ Sebacic Acid Copolymer Behenate	Natural Oil Thickener	4.00	Scott Bader
	Castor Oil No 217	Ricinus Communis Seed (Castor) Oil	Oil	30.17	Naissance
	Myritol 318	Caprylic/Capric Triglyceride	Emollient	16.00	BASF
	Fancol Polyiso 300-CG	Hydrogenated Polyisobutene	Emollient	20.00	Elementis
	Citropol 1A	Polycitronellol Acetate	Emollient	12.00	P2 Science
F	Mixed Tocopherol	Tocopherol (and) Helianthus Annuus Seed Oil	Antioxidant	0.30	The Soap Kitchen
	Lip Balm Flavour		Lip Balm Flavour	0.40	

A pH-reactive lip balm that melts seamlessly into the lips, revealing a bespoke rosy tint and a luminous, high-shine finish. Infused with rich conditioning oils, with **Texique OleoThix**, a natura oil thickener and rheology modifier, for enhanced cushiony glide and elevated sensorial application experience.



Method

1. Combine phase A and heat to 75-80°C. Hold at temperature for 10-15 minutes.
2. Cool to 45-50°C and stir gently.
3. Before the mixture solidifies, add phase B and mix until uniform.
4. Pour into tubes while still liquid and place in the fridge for 15 minutes.
5. Let harden completely at room temperature.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.