

Lip Gloss Oil

Formulation reference: FM00459/B

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
A	Golden Jojoba Oil No 233	Simmondsia Chinensis (Jojoba) Seed Oil	Oil	33.10	Naissance
	Argan Oil No 228	Argania Spinosa (Argan) Seed Oil	Oil	8.00	Naissance
	Coconut Oil Organic	Cocos Nucifera (Coconut) Oil	Oil	2.00	The Soapery
	Babassu Oil	Orbignya Oleifera (Babassu) Seed Oil	Oil	1.50	The Soap Kitchen
	Texique Lux5	C13-15 Alkane (and) Caprylic/Capric Triglyceride	Natural Emollient	3.00	Scott Bader
	Nikkol DISM	Diisostearyl Malate	Emollient/ Dispersant	18.00	Nikko Chemicals
B	Colorona Bordeaux Mica	CI 77491, CI 77019	Pearl	1.20	Susonty
	Titan Pink Sparkle Mica	CI 77019, CI 77891, CI 77861, CI 77742	Pearl	0.50	Mystic Moments
	Titan Violet Sparkle Mica	CI 77019, CI 77891, CI 77861, CI 77491, CI 77742	Pearl	0.50	Mystic Moments
	Castor Oil No 217	Ricinus Communis Seed (Castor) Oil	Oil	28.00	Naissance
C	Texique OleoThix	Sorbitol/ Sebacic Acid Copolymer Behenate	Natural Oil Thickener	3.00	Scott Bader
D	Mixed Tocopherol	Tocopherol (and) Helianthus Annuus Seed Oil	Antioxidant	0.20	The Soap Kitchen
	Lip Balm Flavour		Lip Balm Flavour	1.00	

A luxurious lip oil gloss, combining nourishing oils with the lightweight, fast-spreading emollient **Texique Lux5** for silky glide. **OleoThix** builds viscosity, creating a rich, cushiony texture that enhances ease of application.



Method

1. Combine phase A and heat to 70-75°C.
2. Pre-mix phase B separately. Then add to bulk at temperature and mix to disperse.
3. At temperature, add phase C and mix until fully dissolved.
4. Slowly mix to cool to 55-60°C, then add phase D with mixing.
5. Cool to 50-55°C with gentle occasional mixing, then pour into containers and let set.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.