

Soft Glow Bronzing Cream

Personal Care

from Scott Bader

Formulation reference: FM00422/A

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
A	Deionised Water	Aqua	Solvent	Up to 100%	
	Dissolvine NA2	Disodium EDTA	Chelating Agent	0.05	Nouryon
	Citric Acid Monohydrate	Citric Acid Monohydrate	pH Adjuster	0.03	Univar
B	Tego SML 20 MB	Polysorbate 20	Surfactant/ Solubiliser	1.00	Evonik
	Pricerine 9091	Glycerin	Humectant	4.00	Croda
C	Lecigel	Sodium Acrylates Copolymer (and) Lecithin	Gelling Agent/ Emulsifier	2.00	Lucas Meyer
D	Texterra Kalahari Melon Seed Oil	Citrullus Lanatus (Watermelon Seed) Oil	Oil/ Moisturising	2.00	Scott Bader
	Texterra Marula Oil	Sclerocarya Birrea Seed Oil	Oil/ Moisturising	1.00	Scott Bader
	Texique Lux5	C13-15 Alkane (and) Caprylic/Capric Triglyceride	Emollient	1.50	Scott Bader
	Phenoxyethanol	Phenoxyethanol	Preservative	1.00	Mystic Moments
E	Silica Microspheres	Silicon Dioxide	Oil Absorber/ Light Diffuser	1.00	Micamoma

Achieve a natural-looking radiant glow with a lightweight bronzing cream, designed to enhance your features with a soft subtle sheen. Texterra cold pressed oils of **Kalahari Melon Seed** and **Marula** help hydrate and nourish whilst melting into the skin. The inclusion of **Texique Lux5**, a natural emollient, ensures smooth application and optimal spreadability, while **Texique HE50** acts as a co-emulsifier and adds viscosity boost.



Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
F	Sophim MC 300	Hydrogenated Polyisobutene	Emollient/ Dispersing Agent	3.00	Sophim
	Coffee	CI 77491, Mica	Pearl	1.00	The Soap Kitchen
	Satin Bronze 20A	CI 77491, Mica	Pearl	1.50	The Soap Kitchen
G	Texique HE50	Acrylates/Acrylamide Copolymer (and) C13-15 Alkane (and) Trideceth-7	Thickener/ Emulsifier/ Rheology Modifier	3.50	Scott Bader

Method

1. Add phase A materials to deionised water individually, mixing between additions until completely dissolved.
2. Add phase B and mix until uniform.
3. Sprinkle phase C into bulk and mix under moderate shear until dispersed and hydrated.
4. In a separate vessel, combine phase D and mix until uniform.
5. Add phase E to the oil pre-mix from step 4 and mix until dispersed.
6. Add oil phase to water phase and mix until uniform. The bulk become a white emulsion.
7. In another vessel, pre-mix phase F until uniform. Add some of the main phase to help disperse mica pearls.
8. Add phase F pre-mix into the bulk and mix until smooth and uniform.
9. Lastly, add phase G and hand mix until uniform.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.