

Spray Conditioner for Fine Hair



Formulation Reference: FM00305/B

A light sprayable conditioner perfectly suited for finer hair types. Simply spritz onto end sections of hair, massage or comb through before rinsing. Contains *Texique CS-P* for a light conditioning benefit.

Phase	INCI Ingredients	Function	% w/w	Trade Name
А	Aqua	Solvent	Up to 100 %	Deionised Water
	Sodium Benzoate	Preservative	0.25	Sodium Benzoate Granular ¹
В	Starch Hydroxypropyltrimonium Chloride	Conditioner	0.50	Texique CS-P ²
С	Cetrimonium Chloride	Conditioner	3.00	Dehyquart A 3
	Citric acid	pH adjuster	0.34	Citric Acid Monohydrate ⁴
D	Cetearyl Alcohol	Wax / Viscosity Adjuster	3.50	Lanette 1665 ³
	Bis-(Isostearoyl/Oleoyl Isopropyl) Dimonium Methosulfate	Conditioner	1.00	Varisoft EQ100 ⁵
	Stearamidopropyl Dimethylamine	Conditioner	1.50	Empigen S18 ⁶
	Benzyl Alcohol	Preservative	0.60	Iscaguard BA ⁷
Е				
	Parfum	Fragrance	0.50	

Suppliers: 1 OQEMA | 2 Scott Bader | 3 BASF | 4 Univar | 5 Evonik | 6 Innospec | 7 ISCA |





Preparation procedure

- 1. Weigh out Phase A into main vessel and mix until completely dissolved.
- 2. Add Phase B whilst homogenising. Mix until completely dispersed.
- 3. Add Phase C and mix until fully dissolved. Heat to 70-75°C.
- 4. Weigh out Phase D in a separate vessel and heat to 70-75°C.
- **5.** At correct temperature add oil phase to water phase and homogenise until smooth and uniform.
- 6. Cool down to below 40°C with slow surface mixing only.
- 7. At below 40°C add Phase E materials individually with mixing. Mix until uniform.
- 8. Adjust to pH 4.00 5.00.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third party patent or other intellectual property rights.

