



Men's Soothing Aftershave Balm

Formulation Reference: FM00021/D

A light, fast spreading, cooling post shave balm to soothe and calm irritated skin with sensory enhancer and emulsifier **Texique HE10.** Contains **Texiterra Kalahari Melon Seed Oil** and **Texiterra Grapeseed Oil** which help nourish, protect and hydrate the skin, as well as stimulating new cell growth to give a fresh-looking appearance.

Texiterra[®] Natural oils for personal care

Phase	INCI Ingredients	Function	% w/w	Trade Name
A	Aqua	Solvent	Up to 100 %	Deionised Water
	Tetrasodium EDTA	Chelating agent	0.05	Edeta BX Powder ¹
	Sodium Benzoate	Preservative	0.30	Sodium Benzoate Granular ²
	Allantoin	Skin soothing agent	0.50	Allantoin ³
В	Glycerin	Humectant / moisturisation	2.00	Pricerine 9091 ⁴
с	Vitis Vinifera (Grape) Seed Oil	Emollient / skin softening	0.50	Texiterra Grapeseed Oil ⁵
	Citrillus Lanatus (Watermelon Seed) Oil	Emollient / skin softening	0.50	Texiterra Kalahari Melon Seed Oil ⁵
	Caprylic/Capric Triglyceride	Emollient / skin softening	1.00	Myritol 318 ¹
	Isopropyl Myristate	Emollient / skin softening	1.00	Isopropyl Myristat ¹
	Isononyl Isononanoate	Emollient / skin softening	1.00	DUB ININ ⁶
	Cyclopentasiloxane	Silicone emollient / spreading	0.50	Q-SILC-CM5 ²
	Alcohol denat.	Cooling Effect	2.00	Denatured Ethanol ⁷
	Phenoxyethanol	Preservative	0.60	Phenoxyethanol RCH ⁸
	Aloe Barbadensis Leaf Juice	Skin Soothing Agent	1.00	Aloe Vera 10:1 ⁹
	Parfum	Fragrance	QS	CPL Aromas – AR757677 ¹⁰
D	Sodium acrylate/sodium acryloyldimethyl taurate copolymer (and) C13-15 alkane (and) coco- glucoside	Emulsifer/Stabiliser/Rheology Modifier	4.00	Texique HE10 ⁵
E	Citric acid solution	pH Adjuster	QS	



Scott Bader Company Limited Wollaston, Wellingborough, Northants NN29 7RL 44 (0)1933 663738 enquiries@scottbader.com



Suppliers: ¹ BASF | ² OQEMA | ³ DSM | ⁴ Croda | ⁵ Scott Bader | ⁶ Stéarinerie Dubois | ⁷ Ineos |⁸ Ashland | ⁹ The Soap Kitchen | ¹⁰ CPL Aromas |

Preparation procedure

- 1. Weigh out Phase A and mix ingredients individually until completely dissolved.
- 2. Add Phase B and mix until uniform.
- 3. Add Phase C materials individually and mix. This phase will not be uniform.
- 4. Add Phase D and mix. Homogenise gently until smooth and uniform.
- 5. Adjust to pH 5.50 6.50 with Citric acid solution (Phase E).

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third party patent or other intellectual property rights.



Scott Bader Company Limited Wollaston, Wellingborough, Northants NN29 7RL 44 (0)1933 663738 enguiries@scottbader.com