



Formulation Reference: FM00116/F

Daily sun cream to protect and moisturise skin. Contains *Texique HE10* as a co-emulsifier, stabiliser and rheology modifier.

Phase	INCI Ingredients	Function	% w/w	Trade Name
А	Aqua	Solvent	Up to 100 %	Deionised Water
	Tetrasodium EDTA	Chelating agent	0.05	Edeta BX Powder ¹
В	Glycerin ²	Humectant / Moisturising	5.00	Pricerine 9091 ²
	Citric acid	pH adjuster	0.08	Citric acid monohydrate ³
С	Aluminum Starch Octenylsuccinate	Sofening / texturizing agent	1.00	Agenoflo OS 9051 ⁴
D	Tribehenin	Wax / Viscosity agent	2.50	Syncrowax HRC ²
	Polyglyceryl-3 Methylglucose Distearate	Emulsifier	1.50	Tego Care 450 ⁵
	Butyrospermum Parkii (Shea) Butter	Butter / Skin softening / moisturising	0.50	Cetiol SB 45 ¹
	Butyl Methoxydibenzoylmethane	UVA sunscreen	3.00	Parsol 1789 ⁶
	Diethylhexyl Butamido Triazone	UVB sunscreen	0.50	Uvasorb HEB ⁷
	VP/Eicosene Copolymer	Film former / water resistancy	2.00	Antaron V-220F ⁸
	Octocrylene	UVB sunscreen	2.25	Q-SORB PC 3039 ⁹
	C12-15 Alkyl Benzoate	Solvent	13.00	C12-15 Alkyl Benzoate 9
	Vitis Vinifera (Grape) Seed Oil	Emollient / skin softening	0.50	Naissance 210 Grapeseed ¹⁰
	Polysorbate 20	Emulsifier / surfactant	0.30	Tego SML 20 MB ⁵
Е	Phenoxyethanol	Preservative	0.60	Phenoxyethanol RCH ⁸
	Potassium Cetyl Phosphate	Emulsifier	0.02	Amphisol K ⁶
F	Phenyl Trimethicone (and) Dimethiconol	Film former / skin feel	0.80	Dowsil CB-1556 Fluid ¹¹





	Methylene Bis- Benzotriazolyl Tetramethylbutylphenol (and) Aqua (and) Decyl Glucoside (and) Propylene Glycol (and) Xanthan Gum	Broad spectrum sunscreen	2.25	Tinosorb M ¹
G	Sodium acrylate/sodium acryloyldimethyl taurate copolymer (and) C13-15 alkane (and) coco- glucoside	Emulsifier / stabiliser	1.30	Texique HE10 ¹²
Н	Alcohol denat.	Cooling agent / preservative booster	5.00	Denatured Ethanol ¹³
- 1	Parfum	Fragrance	0.50	Coconut Honey 16217/22 ¹⁴

^{*} Formulated to European regulations for sunscreen levels

Preparation procedure

- 1. Weigh out Phase A and mix until completely dissolved.
- 2. Add Phase B and mix until dissolved and uniform. Heat to 75°C.
- 3. At temperature slowly add Phase C whilst homogenising gently. Mix until dispersed. Re-heat to 80°C.
- **4.** Weigh out Phase D and heat to 80°C. At temperature add Phase E and mix until dispersed.
- 5. Add Oil phase to Water phase whilst homogenising. Homogenise until smooth and uniform.
- 6. Whilst homogenising gently add Phase F and mix until dispersed.
- Cool to below 40°C with slow mixing.
- 8. At below 40°C add Phase G and stir to distribute. Homogenise gently to achieve smooth thick emulsion.
- 9. Add Phase H slowly in stages with mixing. Mix until uniform. Add Phase I and mix until uniform.
- **10.** Adjust to pH 5.50 6.50.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third party patent or other intellectual property rights.

