



Cushion Concealer

Formulation Reference: FM00237/D

Cover blemishes with this mattifying cushion concealer, which easily blends to give a flawless finish. Provides skin nourishment due to the presence of cold pressed **Texiterra Raspberry Seed Oil** and **Kalahari Melon Seed Oil**, and good spreadability with **Texique Lux5**. Contains natural based **Texique HE50** as the main emulsifier, thickener, and rheology modifier.

Phase	Ingredients	Function	% w/w	Trade Name
A	Aqua	Solvent	Up to 100%	Deionised Water
	Disodium EDTA	Chelating Agent	0.05	Dissolvine NA2 ¹
	Sodium Benzoate	Preservative	0.25	Sodium Benzoate Granular ²
	Citric Acid	pH Adjuster	0.05	Citric Acid ³
B	Glycerin	Humectant	3.00	Vegetable Glycerine ⁴
	Titanium Dioxide CI 77891	Pigment/ Filler	8.86	Titanium Dioxide ⁵
	CI 77492	Pigment	0.61	Yellow Oxide Mineral Powder ⁶
	CI 77499	Pigment	0.01	Black Oxide Mineral Powder ⁶
C	Cetyl Alcohol	Wax	3.00	Lanette 16 ⁷
	C13-15 Alkane (and) Caprylic/Capric Triglyceride	Natural Emollient	2.00	Texique Lux5⁸
	Glyceryl Stearate (and) PEG -100 Stearate	Emulsifier	2.00	Ercamuls LF 65V/FD ²
	Caprylic/Capric Triglyceride	Emollient	3.00	Myritol 318 ⁷
	Rubus Idaeus Seed Oil	Natural Oil/ Moisturising	0.50	Texiterra Cold Pressed Raspberry Seed Oil⁸
	Citrillus lanatus (Watermelon Seed) Oil	Natural Oil/ Moisturising	1.00	Texiterra Kalahari Melon Seed Oil⁸
D	Corn Starch Modified	Absorbent	1.00	Agenaflo 9050 ⁹
E	Acrylates/acrylamide Copolymer, C13-15 Alkane, Trideceth-7	Thickener/ Emulsifier/Rheology Modifier	4.00	Texique HE50⁸
F	Green Tea Leaf Powder	Active Ingredient	0.05	Camellia Sinensis Leaf Powder ⁵



	Aqua	Solvent	5.00	Deionised Water
G	Sodium Hyaluronate	Active Ingredient	0.02	Blanova Active Sodium Hyaluronate ⁹
	Aqua	Solvent	2.00	Deionised Water
H	Phenoxyethanol	Preservative	0.60	Phenoxyethanol ⁶
	Parfum	Fragrance	QS	

Suppliers: ¹ Nouryon | ² OQEMA | ³ The Soapery | ⁴ Special Ingredients | ⁵ The Soap Kitchen | ⁶ Mystic Moments | ⁷ BASF |
| ⁸ Scott Bader | ⁹ Azelis |

Preparation procedure

1. Weigh out water and add remaining Phase A materials individually, with mixing between additions. Mix until completely dissolved.
2. Add Phase B into Phase A and mix until smooth and uniform. Start heating to 75°C.
3. In a separate vessel weigh out Phase C and start heating to 75°C.
4. At temperature, add Phase D into Phase C and mix until smooth and uniform.
5. Add Stage 4 to the main batch and homogenise until smooth and uniform.
6. Allow slight cooling to 60°C then add Phase E to the main batch and homogenise until air is introduced.
7. Pre-mix Phase F and Phase G separately.
8. Cool main batch to below 40°C and then add Phase F and Phase G pre-mixes to main batch and mix until smooth and uniform.
9. Add Phase H materials individually and mix until uniform.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third party patent or other intellectual property rights.