

Neck & Décolletage Cream

Personal Care

from Scott Bader

Formulation reference: FM00270/A

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
A	Deionised Water	Aqua	Solvent	6.00	
	Liftonin Xpress	Hydroxypropyl Methylcellulose (and) Pullulan (and) Porphyridium Cruentum Extract	Lifting Active Ingredient	0.50	Rahn
B	Deionised Water	Aqua	Solvent	Up to 100%	
	Dissolvine NA2	Disodium EDTA	Chelating Agent	0.05	Nouryon
	Citric Acid	Citric Acid	pH Adjuster	0.02	The Soapery
C	Vegetable Glycerin	Glycerin	Humectant	3.00	Special Ingredients
D	Texique Lux5	C13-15 Alkane (and) Caprylic/Capric Triglyceride	Natural Emollient	3.00	Scott Bader
	Textiterra Kalahari Melon Seed Oil	Citrullus Lanatus (Watermelon Seed) Oil	Natural Oil/ Softening	2.50	Scott Bader
	Raspberry Seed Oil, Cold Pressed (K0374)	Rubus Idaeus Seed Oil	Natural Oil/ Softening	0.50	O&3
	Cocoa Butter	Theobroma Cacao Seed Butter	Butter/ Moisturising	2.00	The Soapery

Formulated to soften, moisturise and rejuvenate the delicate neck area. This cream contains nourishing cold pressed **Textiterra Kalahari Melon Seed Oil**, known for its anti-ageing properties and stimulating collagen production helping to promote a more youthful complexion. Contains a rich source of Vitamin E which helps fight premature aging. With light natural emollient **Texique Lux5** to leave skin feeling silky smooth and natural based **Texique HE50** as a co-emulsifier.



Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
	Avocado Butter	Persea Gratissima Oil (and) Hydrogenated Vegetable Oil (and) Tocopherol	Butter/ Moisturising	2.00	The Soapery
	Lanette 1665	Cetearyl Alcohol	Wax	2.00	BASF
	Olivem 1000	Cetearyl Oliviate (and) Sorbitan Oliviate	Emulsifier	2.00	Hallstar
	Q-VIT-E	Tocopheryl Acetate	Antioxidant/ Vitamin E	0.20	OQEMA
E	Silica Microsphere	Silicon Dioxide	Soft Focus Effect	0.20	Micamoma
	Silica Microfine	Hydrated Silica	Oil Absorption	0.30	Aromantic Online
	Ronafleur Softshade	CI 77891 (and) Mica (and) Silica (and) Alumina	Mica	0.20	Merck
F	Texique HE50	Acrylates/ Acrylamide Copolymer (and) C13-15 Alkane (and) Trideceth-7	Thickener/ Emulsifier/ Rheology Modifier	3.00	Scott Bader
G	Pentavitin	Saccharide Isomerate	Moisturising	1.00	DSM
	Optiphen Plus	Phenoxyethanol (and) Caprylyl Glycol (and) Sorbic Acid	Preservative	1.00	Ashland
		Parfum	Perfume	QS	

Method

1. Weigh out phase A and allow to fully hydrate whilst gently stirring on a magnetic stirrer plate.
2. Weigh out phase B water into the main vessel and add remaining phase B individually with mixing between additions until completely dissolved.
3. Add phase C to main vessel and mix until uniform. Start heating to 70°C.
4. In a separate vessel add phase D and start heating to 70°C.
5. At temperature add phase E into Phase D and mix until uniform.
6. Maintain temperature at circa 70°C and add step 5 pre-mix into the main batch and homogenise until smooth and uniform.
7. At 60°C add phase F into the main batch and homogenise until smooth and uniform.
8. Cool down to below 40°C with gentle mixing.
9. At below 40°C add phase G and phase A into the main batch individually with mixing between additions.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.