

Rejuvenating Night Gel Cream

Formulation reference: FM00317/A

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
A	Deionised Water	Aqua	Solvent	Up to 100%	
	Edeta BX Powder	Tetrasodium EDTA	Chelating Agent	0.05	BASF
	Citric Acid	Citric Acid	pH Adjuster	0.05	The Soapery
B	Keltrol RD	Xanthan Gum	Thickener	0.30	CP Kelco
C	Vegetable Glycerine	Glycerin	Humectant	5.00	Special Ingredients
	Texique Lux5	C13-15 Alkane (and) Caprylic/Capric Triglyceride	Natural Emollient	5.00	Scott Bader
	Texiterra Kalahari Melon Seed Oil	Citrullus Lanatus (Watermelon Seed) Oil	Oil/ Moisturising	3.00	Scott Bader
	Texiterra Raspberry Seed Oil	Rubus Idaeus Seed Oil	Oil/ Moisturising	4.00	Scott Bader
	Texiterra BF Soya	Bacillus/Saccharomyces/Soybean Seed Ferment Filtrate (and) Glycerin (and) Lactobacillus/Radish Root Ferment Extract Filtrate	Bioferment/ Active/ Antioxidant	2.00	Scott Bader

Lightweight, non-tacky gel cream formulated with **Texique HE50** as the main emulsifier and thickener, will leave your skin nourished due to the presence of **Texiterra Raspberry Seed Oil** and quick- absorbing **Texique Lux5**. Addition of powerful antioxidants, **Texiterra BF Soya** and **Texiterra Kalahari Melon Seed Oil** will help reduce age spots and fine lines, while promoting skin moisturisation, contributing to a youthful-looking and energised skin.



Rejuvenating Night Gel Cream

Phase	Trade Name	INCI Ingredients	Function	% w/w	Supplier
	Hyaluronic Acid Gel	Aqua, Sodium Hyaluronate, Phenoxyethanol, Ethylhexylglycerin	Active	0.50	Aromatic Online
	Phenoxyethanol	Phenoxyethanol	Preservative	1.00	Mystic Moments
	Tocopheryl, Helianthus Annuus Seed Oil	Vitamin E (Tocopherol 70%)	Antioxidant	0.50	The Soap Kitchen
D	Texique HE50	Acrylates/ Acrylamide Copolymer, C13-15 Alkane, Trideceth-7	Thickener/ Emulsifier	3.50	Scott Bader
E		Parfum	Fragrance	QS	

Method

1. Weigh out deionised water into the main vessel and add phase A materials individually, with mixing between additions until completely dissolved.
2. Under fast vortex, slowly sprinkle in phase B and mix until uniformly dispersed.
3. Add phase C to the main batch one at a time with mixing between additions – the bulk will not be uniform.
4. Add phase D and homogenise until smooth and uniform.
5. Add phase E and mix until homogenous.

The information in this publication is based on laboratory testing and is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions and are not intended for design purposes. Users are responsible for determining the suitability of these products for their own particular purpose and assume all risk and liability whether used singly or in combination with other materials. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third-party patent or other intellectual property rights.